

Syntax/Usage

You can reach Michael at:

- [Website](#)
- [Email](#)
- [Phone](#)

```
Ter DIV .block1 { width: 200px; background: #ccc; padding: 5px; padding-right: 20px; border: solid 1px black; float: left; } .block2 { width: 200px; background: #fc0; padding: 5px; border: solid 1px black; float: left; position: relative; top: 40px; left: -70px; } p { /* Обычный абзац */ text-align: justify; /* Выравнивание текста по ширине */ } p.cite { /* Абзац с классом cite */ color: navy; /* Синий цвет текста */ margin-left: 50px; /* Отступ слева */ border-left: 1px solid navy; /* Граница слева от текста */ padding-left: 15px; /* Расстояние от линии до текста */ }
```

Для искусственного освещения помещения применяются люминесцентные лампы. Они отличаются высокой световой отдачей, продолжительным сроком службы, малой яркостью светящейся поверхности, близким к естественному спектральным составом излучаемого света, что обеспечивает хорошую цветопередачу.

Для исключения засветки экрана дисплея световыми потоками оконные проемы снабжены светорассеивающими шторами.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.

Ut wisis enim ad minim veniam, quis nostrud exerci tution ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

See the Pen [Untitled](#) by Elena ([@html5book](#)) on [CodePen](#).

8956

The following example

- first bullet
- help me

will display

- first bullet
- help me

Examples/Usage


- Enclose code snippets using `<Code>` and `</Code>` tag to show it *pretty-printed* in wiki page.
- Prettify module makes a best effort to guess the language but works best with C-like and HTML-like languages.

- To specify language hint for Prettify, you can use
 1. `<Code:ext>` (file extension, you must put it just after «Code:» keyword)
 2. `<Code lang-ext>` option
- For example, use `<Code:css>` or `<Code lang-css>` to specify that the code is Cascading Style Sheets (CSS).
- use `linenums` or `noLINenums` option to turn on/off line numbering. You can add a colon and the number to the end of the option, eg. `linenums:12` to specify start line number.
- If you want to add title for code block, you can specify it after `|` that will be shown just above the code box.

```
<Code:php linenums:1 |Example #1 Our first PHP script: //hello.php//>
<html>
  <head>
    <title>PHP Test</title>
  </head>
  <body>
    <?php echo '<p>Hello World</p>'; ?>
  </body>
</html>
</Code>
```


Example #1 Our first PHP script: *hello.php*

```
1. <html>
2.   <head>
3.     <title>PHP Test</title>
4.   </head>
5.   <body>
6.     <?php echo '<p>Hello World</p>'; ?>
7.   </body>
8. </html>
```



ЫВпыпыпыпып

Heading...



From:
<http://synoinstall-gqctx9n8ug2b3eq1.direct.quickconnect.to/> - **worldwide open-source software**

Permanent link:
<http://synoinstall-gqctx9n8ug2b3eq1.direct.quickconnect.to/doku.php?id=software:development:demo:start&rev=1692284963>

Last update: **2023/08/17 18:09**

